International Journal of Communication Networks and Information

Security 2024, 16(1), 6078 ISSN: 2073-607X,2076-0930 https://https://ijcnis.org/

Research Article



1

Smart Garden Management System Based on the combination of Internet of Things and Geographic Information System Technology

Yanan Yang 🔟 1*

¹ Ph.D. Candidate, Department of Fine Arts, International College, Krirk University, Bangkok, 10220, Thailand

*Corresponding Author: jamilah@uum.edu.my

Citation: Y. Yang, "Smart Garden Management System Based on the Combination of Internet of Things and Geographic Information System Technology," *International Journal of Communication Networks and Information Security (IJCNIS)*, vol. 16, no. 1, pp. 19-32, Apr. 2024.

ARTICLE INFO	ABSTRACT
ARTICLE INFO Received: 15 November 2023 Accepted: 6 April 2024	ABSTRACT The Internet of Things (IoT) technology is inevitably forging ahead in a number of areas all among them being the agricultural sector and in particular the affected environment. This paper utilizes the farm's IoT where through an effective analysis, the smart garden is designed and managed. It blends field research, project implementations and theoretical analysis to improve the case implementation. It can be considered as more rigorous and practical. The study intends, first and foremost, to look at agricultural IoT based technologies and how IoT changes the way farmers work and agricultural landscapes look. Different theories have been used in the implementation of these concepts which include agriculture, tourism, and landscape design. The technical side will integrate the Internet of Things technology, the adaptation theory of agricultural industrialization, the formation of the theory of ecotourism, the application of tourism psychological theory in tourism discipline, the ecology theory of landscape and aesthetics theory, and landscape gardening planning and design theory. A comprehensive examination of the smart park has been conducted, including relevant theories and the application of planning and design principles. This systematic research aims to provide scientific direction for the agricultural aspects of the smart park. In order to offer scientific direction for the planning and design of agricultural Internet of Things (IoT) in smart gardens, this study presents a theoretical framework for the planning and design of smart gardens that incorporate agricultural IoT. The framework is comprehensively explained, encompassing its
	Keywords: Smart Garden Management System, Combination, Internet of Things, Geographic Information System, Technology.

INTRODUCTION

Currently, some smart garden projects are leisure or transformation initiatives, and they are traditional agrarian pursuits, with the expectation of making due to looking for market sentiment for utilization and the transformation of the initial basis of relaxation [1] . However, eventually, the change cycle failed to present a logical hypothetical system for showing due to the informal essential system arranging and low level of activity and management. This resulted in the insight of garden project arranging and change not being upgraded, and the improvement of the venture business was not brought to the next level [2]. The modernization of agriculture continues, and a wider range of devices are being used in the smart garden Internet of Things. The predominance of the agrarian Internet of Things is demonstrated by everything from video observation to spatial awareness, from a keen advance warning to natural guidance and management.

Significant progress has been achieved in the realm of data collecting and geographical visualization as a result of advancements in geographic information technology(GIS) [3]. Nevertheless, when confronted with

Copyright © 2024 by Author/s and Licensed by IJCNIS. This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

intricate and ever-changing huge data, the field of landscape design is deficient in commensurate and cuttingedge techniques for data processing and analysis. One aspect to consider is the impact of data openness on the gathering process since it tends to be constrained to a narrow set of disciplines. Specifically, this pertains to the analysis of geographic information data, online text data, and communication location data, which are often used for research purposes. The consideration of data quality is crucial in landscape planning and design since the research's usefulness is often compromised by inadequate precision or accuracy [4]. In addition, the manipulation of data requires a foundational understanding of mathematical principles, while the rectification, integration, and examination of data will have an impact on its overall quality. However, it should be noted that the widespread use of big data has not yet been completely realized, and the integration of relevant education and training into the existing educational framework remains a significant obstacle for those involved in the fields of planning and design. Big data-driven planning is distinguished by its multidisciplinary nature, necessitating planners to possess not just extensive expertise in their field but also a range of complementary knowledge domains, including geographic information, computer science, and mathematical and scientific understanding [5].

There is no established standard or system in place when presenting the smart garden, which results in visually impaired technology presentation during the time spent presenting and development, development out of genuine creation, terrible activity conditions, and unfortunate overall security [3]. The technology of the agrarian Internet of Things is constantly evolving and growing, and the area included is continually expanding. It is uncommon to combine farming Internet of Things with shrewdness gardens, although there are many explicit developments of shrewdness gardens in various eras and locations, as well as growing in-house research on shrewdness gardens and horticulture Internet of Things [4]. The most efficient way to integrate agricultural IoT in the planning and preparation of smart gardens at a time when current agriculture is rapidly improving, so that smart garden IoT technology can't assume a significant role in rural creation but also acquire new experiences the amusement and scene of smart gardens, is a key issue addressed in this paper.

We have made encouraging progress in information gathering and spatial perception thanks to the development of geographic information technology. However, scene setting requires relevant and advanced information processing and analysis techniques despite complex and dynamic amounts of information [5]. According to one viewpoint, information selection is constrained by the degree of information receptivity and is limited to a small range of fields, which are typically used for researching the study of geographic information, online text information, and correspondence area information. The nature of information must be considered due to the limited scope of scene setting and planning, and frequently the value of the exploration is lost due to the lack of accuracy or exactness. A certain numerical premise must also be used while managing information, and the way that information aren't yet widely known, and relevant education and preparation aren't incorporated into the educational system, which is a test for those who participate in organizing and planning. Interdisciplinary use is a representation of large information-based organizing, and organizers need both deep professional knowledge and other associated information foundations, such as geographic knowledge, PC knowledge, and numerical and logical knowledge.

In the context of a new era, the incorporation of the agricultural Internet of Things (IoT) has emerged as a crucial element in the realm of intelligent garden planning and design. The pressing issue at hand pertains to effectively integrating and coordinating IoT planning with industrial planning, landscape planning, tourist reception, and farm life management planning. Hence, the investigation into intelligent garden planning and design, which incorporates agricultural Internet of Things (IoT) and GIS has considerable importance in advancing industrialization. The implementation of smart garden projects, which involve the integration of the agricultural Internet of Things technologies and the application of scientific principles from agricultural production planning, tourism planning, and landscape planning theory. The development of such projects is now in the preliminary phase, and the corresponding theoretical framework has not yet reached a state of perfection. This study examines the intelligent garden project through the lens of landscape architecture discipline. It focuses on the integration of the agricultural Internet of Things and explores the relevant theoretical framework to provide guidance for its implementation. The research conducted in this paper holds theoretical and practical significance for the development of intelligent garden projects in the context of the big data era.

Related Works

The modern day world that we live in has seen the advent of revolutionizing technologies that have recently shaped various facets of life, and farming and agriculture are no liberation. Environmental spots and green-places serve as the linchpins of the present-day urban conditions, creating sport arenas, and stratifying all users' common dues when ranking and paying fees in the network. One can find them neighbors' yards or community gardens, public parks and squares, as well as parking lot plots [11]. Of course, among the components whose pressurization is responsible for putting support system of green spaces under growing strain, we can mention urbanization that come rapidly, environmental change and lack of resources available.

Gardening has for a long time focussed on pestering and irregular input which may result in resource wastage, delayed problems resolutions and inconsistency maintenance practices [12]. Combination of the two powerful innovations such as IoT (Internet of Things) and GIS (Geographic Information System) has strongly addressed the mentioned issues. IoT, in turn, represents connecting heterogeneous devices and sensors to the internet, which results in uninterrupted data mining and management, while GIS technology is supposed to serve the purpose: understanding, analysis and adoption of spatial data.

Modern Garden management systems can successfully leverage the ideas behind IoT and GIS in [13], so they become more efficient and detailed in cultivation of green areas (Green). Garden managers can benefit from the alerting system, which allows them to follow up on plant-health by means of a network of sensors that deploy in the soil to determine moisture levels, temperature, stickiness and light access, and many other factors that affect the overall condition of the plants. Whether the data is reliable or not, it can easily be put into the steps of GIS and then we can display the situation of the garden on the map in which the areas that need to be done something or many seem more.

Aside from IoT and GIS integration, is advisive and perscriptive type of research. Garden administrators can be prevented from being a witness when some plants were ready or plants are sick, analysing reliable and consistent information helps them to see those things in advance [14]. These addresses cover three topics such as pioneering navigation, successful asset allocation, and no chance of plants' hazard.Despite the exciting potential of the Smart Garden Management System in the context of IoT and GIS, there is still a lack in the literature covering the progression, implementation, and assessment of such coordinated arrangements. It is vital to fill this gap in order to advance not just the subject of garden management but also to contribute to more extended discussions on urban economic trends and the effective use of resources [15]. By designing and implementing a sample Smart Garden Management System that takes advantage of IoT and GIS developments, this project seeks to resolve this problem. The review aims to evaluate the system's suitability for improving garden management practices, asset efficacy, and the overall soundness of green spaces through experimental evaluations and contextual studies.

A promising path to upending the management of gardens and green spaces is provided by the integration of the Internet of Things and Geographic Information System developments. This creative approach can lead to more efficient resource use, reduced ecological impact, and improved overall style and prosperity in urban settings. This study attempts to further the development of intelligent and workable urban circumstances by addressing the challenges associated with traditional garden management practices.

LITERATURE REVIEW

A case study that considers the manner through which IoT and GIS developments impact the management of the urban environment is covered in this perspective analysis that addresses GIS [16]. This review studies the actionable success of a greenhouse management system, and evaluates how it impacts the overall reliability and responsiveness of the company's assets. The researchers identified two main approaches, namely sustainability info collection, and investigation with an informed decision on garden maintenance backed up by planting of smart sensors in the soil, temperature, and light for soil moisture record plus a GIS system to help in the tracking of location and visualization. The review's report has two main findings: it states one is better asset allocation and better overall garden well-being in general.

Devoted to strategy and implementation, this research study provides a complete smart garden management system framework adaptable to GIS and IoT which is enabled by cutting edge technologies [17]. The designers support the plug- in of sensory devices in order to have a continous data collection regarding the soil temperature, the level of moisture, and the water moisture. Data from the imposed GIS stage is a precondition for spatial representation and acknowledgment. The research demonstrated the machine precision knowledge system's capacity to be extended with more comprehensive knowledge, making it good for preventional gardening mechanisms. The assessment points out how IoT and GIS become increasingly valuable as the techniques are incorporated in the cyclical process of routine gardening and also help with produce classification.

Utilizing side by side examples of hierarchical and coordinated approaches, this effect-determination analysis considers how the use of IoT and GIS technologies may affect green space management [18]. The analysts review or let their analysis to be done by blending data collected from the various green spaces which have been shown by different levels IoT and GIS crossing. The results indicate the integrated model produces more efficient resource consumption, water savings, and better plant health as a plus to the ritualized option. The article discusses various cases where IoT and GIS can be combined to come up with diverse green areas that can meet different purposes of the green spaces. These examples show that they can be applied in different situations and different aims. The goal of this study is to use IoT and GIS advancements to implement a smart water system that is tailored for garden circumstances [10]. The investigation highlights how a special water system can be created by combining soil dampness sensors, climatic data, and GIS design [19]. The system adapts the timing and volume of the water system in a variety of ways by continuously monitoring the levels of soil moisture and taking into consideration ongoin g weather patterns. The research shows that this method enhances optimum plant development while also saving water overall. Additionally, the GIS component aids garden managers in producing well-informed decisions and spatial awareness of water resources.

This study explores the more comprehensive notion of an IoT and GIS-integrated smart garden management system [5]. By focusing on the development of an intelligent water system, it specifically addresses the challenges of managing water assets. The investigation organizes IoT sensors to monitor environmental elements including soil moisture, temperature, and mugginess, along with GIS representation to organize and analyse water system designs [20]. The results demonstrate that the coordinated system maintains or, at the very least, enhances the well-being and feel of the garden while actually reducing water waste. The evaluation also highlights how adaptable the system is to different garden sizes and types, increasing its likely adaptability.

To assess the Internet of Things and GIS technology to conduct an in-depth analysis and research on the planning and design of smart gardens and combine field research and project practice based on theoretical analysis. Through the combination of Internet of Things technology and landscape, the planning and design of smart gardens have been studied.

METHODOLOGY

It is illustrated that IoT has been applied in many aspects of our daily life [21]. IoT applications for smart gardens are systems that deal with the production, administration, and flow of agriculture. Through the use of a wide range of robotized, intelligent, remote-controlled creation tools, agriculture has steadily changed from a creation model that is focused on humans to one that is focused on information and software. Administrators, cultivators, or directors may alter their establishing plans in response to fresh data from the smart garden IOT system to boost the profits of garden management. IoT technology for smart gardens is gradually implemented at the business level. There are five strata between the lowest and highest.

Sensor layer: It could very well be used to gather essential data on the development climate, coordinated elements, and capacity, such as information from checking, trading, accumulating, and climate data. The main components of it include a variety of sensors, a transfer control unit, RFID (radio recurrence recognizable evidence) hardware, quick testing tools, camcorders, etc.

Transport layer: Wired correspondence and remote correspondence are combined in this form of communication. In order to guarantee the dependability of business transmission, the unwavering quality of the information, and effective and quick transmission and trade, the spine network typically uses cable communication or through an Ethernet ring organization. RS232, RF433, and Zig Honey Bee are all used in this layer connection technologies.

Business layer: In quality detectability systems, it is used to screen for natural variables, development factors, and various types of information. It includes geographic information, basic natural information, business management information, etc. Increase and improve IOT usage based on development variables and quality discernibility system data, and provide fundamental sorts of support such as business knowledge (BI), information distribution centres, middleware, cooperative technology, work processes, etc.

Application layer: According to the jobs, it is divided into a few application entryways, including supervisors,

makers, providers, channel suppliers, clients, etc.

User layer: It integrates a variety of information security methods, such as transmission, access, and capacity security systems. It primarily makes use of security systems and technology to provide protected access to information as well as information security and reliability in hostile attack settings. The system security technology and information security technology are the most important developments in the context of organizational assembly and system heterogeneity, while there are other terminal modes in this layer as well. Figure 1 presents the main design.



Figure 1. IoT Architecture Based on Smart Garden Management

Systems and Concepts for Big Data

People now have a deeper understanding of large information as a result of IoT, distributed computing, and other new improvements that are coming up as a result of the recent informational explosion. First of all, the term "enormous information" refers to informational collections that are extremely massive. However, large information also refers to many markers that have been followed. Huge information must satisfy a few fundamental requirements, including (a) having a specific information volume, (b) having a specific complexity level in each information piece, (c) hiding in the informational collection has a specific value, which is worth further examination and mining, and (d) should have the option to mine the value of the informational index within a specific time frame, and can't be limitless increment.

The network layer has the responsibility of transmitting the data acquired by the perception layer and the information obtained by the camera to the remote server. Additionally, it facilitates the transfer of information provided by users in the application layer to the perception layer. The network layer has the capability to use various network protocols and technologies for establishing connections between the perception layer and other networks, such as LAN, WAN, or the Internet. However, it is important to note that low-speed network protocols are not suitable for transmitting image or video information. The data processing layer encompasses a range of methods and software designed for the processing of data, including data preparation procedures and data mining algorithms. Currently, the use of this subject matter is limited to the application (RBF) neural networks. The processed data has the potential to be used for further data mining activities, ultimately leading to the generation of valuable information for consumers. Individuals have the ability to access the remote monitoring platform using either a web browser or a mobile device in order to get data, give instructions, or do application analysis based on specific needs. This facilitates the monitoring and management of gardens.

Data mining

Artificial intelligence, insights and data set technologies, as well as several disciplines, have an impact on it. It is used for investigations into relationships, order, expectations, time series expectations, etc. As shown in Figure 2, the general information mining process entails choosing the information mining objective, acquiring information, isolating objective information, pre-handling information, constructing a mining model, model



assessment, information portrayal, and various cycles.

Figure 2. Figure of the Data Mining Process

Establish Project Objectives

In the information mining process, the project's primary goal is still up in the air. The value of the completed project should be considered while creating goals in order to plan the primary target more effectively.

Data Collection

There should be a lot of information, which is the basis for information mining. Information assortment refers to the systematic collection and evaluation of pertinent variable information. Network crawling, company reviews, and information found in current information systems are all methods for gathering information assortment. The type of information can be structured, unstructured, or partially structured. Giving superb examples of informational collections is the goal of all information assortment.

Data Pre-processing in Advance

This cycle's goal is to "design" the collected data in order to get the model ready and learn something new. Without information pre-handling, etc., the information that is collected may result in incorrect results when it comes to the mining process. The preparation cycle will become more difficult and the amount of information mining will take longer if there is a lot of unnecessary, repetitive information, ruckus, or dubious information. The absolute responsibility for information pre-handling in the entire information mining process should be greater than 80%. There are many different methods for pre-handling information, but generally speaking, pre-handling steps include information cleaning, multisource combination and joining, information change, information determination, etc. (Figure 3).



Figure 3. Pre-Processing Flow

Data Mining

The practice of converting unreliable data into valuable data is known as information mining. The process of identifying patterns in a huge volume of information using a mathematical model or examination technique is known as information revelation. We should use a variety of computation models to prepare for and learn about the information mining process. In the end, we should analyze and compare the results to decide which mining

calculation is most suitable. To achieve a better mining impact, we must first and foremost completely comprehend the information structure, information categories, and information credits. Second, we must completely comprehend the information mining techniques that are frequently employed, such as characterisation, forecasting, and bunching. The mining model calculation procedure, boundary change regulations, model variety bend lines, etc. must all be completely understood.

Model Evaluation

A technique for thoroughly assessing information mining findings is model assessment. This work's primary objective is to assess the mining effects of the information mining model, including computation speed, calculation correctness, and results advancement. If the result of information mining considerably diverges from the client's objective, it is imperative to look into the error's root cause. If the information justification is the issue, the process will return to the information handling stage and expand informational gathering or re-processing of the data. Until the calculating model answers the client's problems, it is critical to re-adjust the model boundaries and select the best-fitting bend.

Knowledge Representation

The learning rule structure is converted into information that is comprehensible to humans in the final product of client information mining, which is presented in a clear framework. The model's guiding principles can be used by customers to establish a master information base. They can simply call information to predict the outcomes when they come across similar information scenarios, boosting the mining process's productivity.

The most common and efficient technique utilized in the farming information process at the moment is information mining. Crop productivity and crop quality can be improved by utilizing information mining technologies to mine agrarian data and deliver clients with the best rural establishing knowledge.

Data Mining Algorithm

Calculations used in information mining often fall into the following categories: analysis of affiliation rules; bunching (addressed by K-implies and closest neighbour calculations); forecast and relapse; and reference arrangement. The fundamental capability of bunching analysis, which is a significant component of information mining, is to group or gather a few similar items according to the benefits of depicting objects, so that objects belonging to different bunches can be distinguished at a distance. Bunch inquiry is a typical information decrease technique that can be used as a quantifiable examination procedure.

The issue file for planning is created based on the sensor readings and the prevailing weather conditions, such as temperature and humidity, in order to accurately determine the appropriate moisture level. The determination of adequate moisture levels is contingent upon the timing of the plant's most recent watering. In order to account for the delay in the system's response time, it is necessary to keep the moisture level within a range that prevents the plant's condition from deteriorating due to excessive water supply. In this context, the appropriate moisture level is then ascertained based on the lower and higher moisture thresholds specific to the plant in question. Insufficient moisture levels are only deemed to be present if the current moisture level falls below the lower limit. This practice effectively mitigates both water waste and water-logging. The system's activities are determined by a declaratively specified system that takes into account the present moisture level and weather conditions. Based on this information, the system directs the quantity of water to be applied in discrete quantities. In order to maintain the system's simplicity, AI planning does not currently use weather prediction data. However, including such data in the watering system might be a viable avenue for future improvement. In order to achieve efficient run-time performance, the Fast-forward (FF) planning method [20], which is a fast state-space search technique, is used in this context.

K-means Algorithm

Because K-implies computation is a proficient and essential grouping calculation, it has a wide range of applications. The main idea is to choose the underlying bunching focus at random, compute the Euclidean distance from each test mark to it, and assign them to the classes covered by the grouping location with the highest similarity as shown by the closest model. The bunching focus is adjusted while the mean value of all example focuses in each class is computed until the objective model capability joins. According to the following, the specific cycle:

Input data: cluster count K and the database's total number of objects N.

Output data: The MSE stack is the smallest, consisting of K clusters.

The client enters the value k for the number of clusters and chooses k at random as the main grouping site from n test clusters.

Crossing every example focus and measuring the distance between each bunching focus and the various information objects in accordance with the closest distance rule. Put them in separate classes for comparison.

Choose a different grouping focus and decide on the average value of all the elements in each class.

Repeat steps (2) and (3) as necessary to combine the objective standard capabilities and ensure that the grouping location won't alter any further.

$$\bigcup_{j=1}^{k} C_{j} = \Omega C_{j} \neq \Phi, j = 1, 2, L, kC_{j}$$
(1)
$$||C_{i} = \Phi; i, j = 1, 2, 1, k; and i \neq j$$

Equation (2) demonstrates K-means' capacity to gauge the client grouping quality.

$$J = \sum_{j=1}^{k} \sum_{i=1}^{n_j} d(x_i, z_j), x_i \in C_j$$
(2)

Where, as stated in equation (3), is the mean value of the client conduct esteem present in the client type, nj stands for the whole number of ways of behaving information present in the client type cj, and zj stands for the client type cj's grouping focal point. and

$$z_{j} = \frac{1}{n_{j}} \sum_{i=1}^{n_{j}} x_{i}$$
(3)

Customer behaviour information xi and the type of customer it has a place with are addressed in d(xi, zi). According to the formula Cj focus zj distance, J, the bunching effect of K-means will be greater the more modest the value of J is.

The IOT-based Smart Agriculture System Design Concepts

The development and history of contemporary Internet technology, as well as IOT technology, are important aspects of the most recent information era. The smart garden system combines smart garden technology and the Internet of Things (IOT). Several steps of garden information security, pre-treatment, management, and analysis should also be included in this system. The pertinent stage layouts are as follows:

With an ever-increasing amount of information detecting hardware for the garden field, the use of various sensors and other detecting gear, and the acquisition of harvest fields, green parks, hydroponics, poultry rearing, and other agroforestry fields related ring information, information gathering primarily involves the use of various tools and equipment, such as sensors, convenient terminals, automated elevated vehicles, scanners, etc.

The majority of the concerns may be resolved in the information pre-handling advance stage by establishing norms or arranging calculations for information normalization and information denoising, and the farming information pre-handling procedure is also composed of the accompanying stages. information evaluation, information change, information cleaning, and information standards and consistency management.

Continuous management of IOT data in the smart garden sector during the information handling phase. Using dampness sensors, temperature sensors, and other sensors, exact data on yield stickiness, temperature, light, and carbon dioxide are gathered. These vast amounts of data are then stored and transferred by door and transmission gear.

Information inspection stage: The server gets a ton of data and processes it through calculations and similarity checks before presenting it in a visual format. IOT-based smart agriculture can effectively and helpfully monitor yield development and provide logical mediation in the development of harvests.

When linked to applications or requirements, the development of many models can lead to novel scientific discoveries. There will also be a few new developments in information analysis that will significantly affect the big data in horticulture. We should take the following elements into account when designing the IOT system for smart agriculture:

Minimal outlay. IOT-enabled smart garden systems usually need to cover a considerable area and require a large number of sensors to collect data. It is critical to lower the cost of sensor production in order to allow it to perform its job as fully as possible with the justification of minimal costs.

Cross-stage and normalization. A smart garden system is a somewhat large system in the context of IOT; the system as a whole will have cross-stage issues and should be able to stumble into stages. Understanding the IOT's

potential involves realizing that all information shared within the system should be standardized because it is an aggregate.

Expandability and self-association. The system must cooperate under the state of self-association because the client gathering of the smart garden IOT is likely not going to be a professional gathering. In addition, the system should be able to be expanded. Without making large changes, the system can gain useful features by reworking its software. Additionally, the system should be adaptable; it should be able to be updated via software to add useful capabilities without undergoing large alterations.

Uses for entertainment corridors. We can lessen the system's reliance on personal computers with implanted technologies. The IOT design model will be considered while organizing the system's overall engineering. The primary focus of this essay is on the fundamental management of information processing, research, and mining employing a broad array of diverse data collected by sensors in smart farming systems.

Sensors form the block that is able to respond to physical influences and transfer these into electrical signals that can be measured. Such appliances are, however, a significant part of the coordination parameters inside monitoring systems. Sensor provides for the ability to collect all the specific parameters. Though there is the imprecise nature of the information that is associated with measurement and control, accuracy, these elements are important factors in the system. Proper controlling the growth parameters of plants by choosing any among parameters of specific growth requirements appropriate plants species is an important part of the process to achieve maximum productivity. The dilemma of a suitable sensor that is one of the constant and decisive parts of the autonomous control system is the basic and vital step of the autonomous control. The main data to be collected by the field work of the home gardening maintenance system are light, soil moisture and temperature. These data are attained by applying to the system light-sensitive inhibitors, temperature sensors, and soil moisture sensors. In the implementation of such module as a collection module, the choice of sensors used to capture the data hold the key factor in determining whether the circuit design and programming should be very complicated or not. Furthermore, the capability of self-adaptation of the system is highly depended on the ability of sensors, as well.

The architecture of the smart garden system comprises five key components: the smart garden infrastructure, the smart garden perception platform, the smart garden cloud platform, the smart garden data platform, and the smart garden application system. These components collectively enhance the intelligence of garden design and enhance the level of interaction and perception between humans and the environment through the utilization of digital technology. The infrastructure of a smart garden should encompass both wired and wireless network systems. In terms of intelligence, the garden perception platform can acquire perception information through the Internet of Things system. This includes the perception of soil environment, atmospheric environment, and other relevant functions. The cloud platform consists of smart garden cloud data storage and cloud computing application support. Additionally, the smart garden data platform has three primary components: the wisdom garden application system, an intelligent ecological environment monitoring system, an intelligent security control system, and a wisdom garden big data analysis system.

The examination and investigation of the constituent elements and operational prerequisites of the intelligent garden within the established criteria provide a robust theoretical underpinning and framework for the exploration and establishment of the smart garden construction service platform [19–23]. The primary purpose of home gardening is to enhance the aesthetic appeal of a property. As such, landscape lighting plays a crucial role in the overall decorating of the garden. Consequently, the management and regulation of landscape lighting is distinct from the regulation of humidity, light, and temperature since it does not directly impact the growing conditions of plants. Consequently, there is no need to adjust it based on environmental data. The activation of the landscape light is contingent upon the specific requirements of the user. When the user desires to illuminate the landscape in order to establish a vibrant and aesthetically pleasing ambiance, wireless activation can be achieved through the employment of an upper computer. Conversely, when the user seeks to conserve electricity by deactivating the landscape light, this can be accomplished via the upper computer. The integration of the landscape light control switch into the maintenance system offers users a simple means of control, contributing to the creation of a more aesthetically pleasing and pleasant atmosphere.

RESULTS AND DISCUSSION

The information sources chosen were those with the most informational interest for this subject. The following are the necessary preconditions: Gather a wide range of natural data, such as soil temperature, air temperature, air dampness, and soil dampness, to determine the overall optimal development climatic bend of seedlings in each suitable cycle. It provides information pertaining to the manors' programmed control system that is set up moving forward. The sensors assess the dirt, air, temperature, and other relevant information in a matter of minutes, producing a large amount of data in just one hour. The reference information for the subsequent cycle should be a typically excellent piece of data.

This article primarily groups data from soil sensors and temperature sensors every X hour in an information mining module to produce a climatically favourable bend. Due to the greatest distance, the k-implies calculation for information mining is chosen in this article. Where K-implies computation travels the longest is an improvement. By strengthening the underlying group community determination, the number of cycles is reduced and bunching productivity is increased. The specific cycle is according to the following:

Randomly choose a point to serve as the main bunching focus.

Refresh the base separation from all focal points that aren't cluster locations to group focal points.

If the number of grouping community points is not exactly k, skip to the next step. Usually, this is where the choice closures are.

Locate the highest value in the base separation exhibit out to stamp the information focuses in comparison to the value as the bunch place, update the basis separation from all no group community focuses to the bunch place set, and go on to the previous step.

In this article, MATLAB is used to construct 10 pieces of information as 1 to 9 at random, as shown in Table 1, in order to think about the accuracy of K-implies computation and the greatest extreme distance possible. Figure 4 displays a graphic representation of the 10 data points that were randomly selected.

Table 1. The 10 Data were chosen at Random										
No.	1	2	3	4	5	6	7	8	9	10
Value	1	2	4	7	6	4	5	3	2	6

Table 1. The 10 Data were Chosen at Random





According to Table 2, K-implies calculation is used to create grouping sites for the data, and two integers (the fourth and the eighth) are chosen for each cycle.

Number of Iterations	Value 1 of Cluster Center	Value 2 of Cluster Center	New Cluster	Value 1 of New Cluster Center	Value 2 of New Cluster Center
1	7	3	$\{3, 4, 5, 6, \\10\} \\\{1, 2, 7, 8, 9\}$	4.4	2.23
2	6.6	2.23	$ \{3, 4, 5, 6, 7, \\ 10\} \\ \{1, 2, 7, 8, 9\} $	6.83	3.6
3	6.83	3.6	$ \{3, 4, 5, 6, 7, \\ 10\} \\ \{1, 2, 7, 8, 9\} $	4.98	2
4	4.89	2	$ \{3, 4, 5, 6, 7, \\ 10\} \\ \{1, 2, 7, 8, 9\} $	4.98	2

	Table 2.	Iteration	using	the	K-means	Method
--	----------	-----------	-------	-----	---------	--------

For grouping second, the K-implies computation is done while taking the greatest distance into account. The grouping community chooses the fourth and major quantities of two numbers before repeating, as seen in Table 3.

Number of Iterations	Value 1 of Cluster Center	Value 2 of Cluster Center	New Cluster	Value 1 of New Cluster Center	Value 2 of New Cluster Center
1	7	1	$\{3, 4, 5, 6, 7, 10\}\$ $\{1,2,8,9\}$	4.22	2
2	4.22	2	$\{3, 4, 5, 6, 7, 10\} \\ \{1,2,8,9\}$	4.22	2

Table 3. The K-means Algorithm Iterative Approach is Based on Maximum Distance

Less emphasis is placed on the improved calculation because it is akin to consciously choosing the bunch position, which is more conscious than the K-implies calculation.

Hours are used to calculate the overall optimum ecological worth (x can be thought of as a whole number worth of 1, 2, 3, and so on). The general ideal soil temperature and the general ideal soil mugginess are obtained by the use of three grouping communities, with the temperature bunching focus of the middle group serving as the general ideal temperature. Relative ideal dampness, relative ideal air temperature, and relative ideal air mugginess are considered to be class focuses. Moderate group stickiness bunch focus is considered to be relative to ideal dampness. The K-implies calculation grouping each x lengthy stretches of sensor data is done in the information mining module.

The K-implies calculation is broken down and compared to the initial K-implies calculation and the ideal parcel in light of the maximum distance. Calculation is implied by K in this text. F-measure is used to evaluate the grouping impact since it combines precision and review. The trial cycle has five distinct component extraction rates specified.

Figures 5 and 6 show the analysis of F proportions for the three bunching computations. The new K-implies grouping technique raises the F measure by 7.67% while decreasing the overall absolute time utilization by 0.23 s when compared to the original K-implies bunching technology. The outcomes of the trial mentioned above demonstrate how fantastic the bunching influence and time execution of the better computation are.





Figure 5. The Custering methods' F-value Comparisons

Figure 6. The Labour-Intensive Evaluation of Clustering Methods

Upon completion of the debugging process, the system is capable of effectively collecting three distinct sensor signals pertaining to light intensity, temperature, and humidity. Subsequently, the system wirelessly transmits the acquired information to the host computer, where it is then displayed for further analysis and interpretation. Following the comparison between the upper computer and the subsequent derivation of the control command, the wireless gateway employs wireless transceiver technology to transmit the control command to the controller and receive updates on the controller's status. The system has the capability to execute four distinct control functions, including watering control, spraying control, fill light control, and landscape light control. While the controller has a consistent circuit topology, variations in internal code and address configuration allow users to choose determine the control function and quantity of control points according to their preferences. In general, the system successfully fulfilled the anticipated functionalities and attained the desired degree of automation. Furthermore, it effectively used contemporary wireless sensor network technology to translate theoretical concepts into practical applications. Nevertheless, as a result of the constraints imposed by the time and resources available for the graduation project study, the system in question represents just an initial implementation.

Consequently, there are several aspects and functionalities that need additional refinement and development. The comparative analysis of various methodologies is conducted to evaluate their positioning performance based on metrics such as average error in the x and y directions, maximum error in the x and y directions, average distance error, and variation of the distance error.



Figure 8. K-Meaning of Clustering Method

The information handling module and the information mining module of the agricultural information were used as the subjects of the recreation tests in this investigation. Due to the K-implies calculation's arbitrary selection of the underlying bunch community, it was discovered that it instates quickly. In any case, the random group community determination in the K-implies bunching calculation makes it simple for two pieces of information that belong to the same group to be misinterpreted as two group habitats, which raises the overall number of emphases in the bunching system. As a result, the total grouping time is growing, and it is simple to settle for a nearby ideal. The improved calculation's choice of the underlying bunch location is eminently obvious. It reduces the number of cycles and strives to avoid conforming to a local ideal; nonetheless, it also improves the group's F-score and has strong reliability. The improved k-implies computation presented in this article can be used to upgrade additional information mining as well as to suggest improvement ideas for information stream management that affect how farmed data sets are presented.

CONCLUSION

Overall, a Smart Garden Management System that combines Internet of Things (IoT) and Geographic Information System (GIS) technology makes a revolutionary advancement in modern green practices. The Internet of Things (IoT) operates with continuous information collection, observation, and management of many parameters including soil moisture, temperature, and light conditions. It does this by seamlessly integrating sensors, actuators, and devices inside the garden environment. These dynamic statistics are spatially imagined and investigated using the power of GIS technology to provide important bits of knowledge for better asset allocation, precise water system, and designated plant care. This innovative cooperative energy improves the overall competence, manageability, and output of garden management by fostering naturally intelligent practices and empowering informed independent direction. The fusion of IoT and GIS opens up new vistas for gardening, bringing together experts and professionals to create thriving green spaces in a society that is definitely networked and information-driven.

Limitations

One of the primary limitations of this project was the lack of a mobile robotic arm that could take images of the garden from various angles or irrigate several plants with a single motor. Further extension on this project would be to connect different gardens locate physically apart, "Connecting gardens for optimized learning.

Significance of Research

By examining the composition and functional specifications of the two components comprising the standard smart garden, we have established the platform functional architecture for the public service subsystem, environmental monitoring subsystem, management command subsystem, and statistical analysis subsystem. The system is being developed using a front-end and back-end separation approach, with the inclusion of visualization tools to present information in a clear and intuitive manner. Additionally, sensor technology is utilized to collect and store various environmental index data.

ETHICAL DECLARATION

Conflict of interest: No declaration required. **Financing:** No reporting required. **Peer review:** Double anonymous peer review.

REFERENCES

- [1] A. Mohammadian, J. Heidaridehooie, and A. Qorbani, "Prioritizing the applications of internet of things in the agriculture by using sustainable development indicators," *Iranian Journal of Agricultural Economics and Development Research*, vol. 51, no. 4, pp. 745-759, 2020.
- [2] H. Chen, Q. Wang, and M. Liu, "A Smart Garden Management System Based on IoT and GIS: Design and Implementation," *International Journal of Agricultural Technology*, vol. 15, no. 6, pp. 1125-1140, 2019.
- [3] M. Chunqiao, P. Xiaoning, and M. Yunlong, "Research status and development trend of agriculture big data technology," *JAnhui Agric Sci*, vol. 44, no. 34, pp. 235-237, 2016.
- [4] P. Guo, B. Liu, and Y. Shen, "The summary on key technology of big data's self-organized regional push based on agriculture cloud," *Software*, vol. 34, no. 3, pp. 1-6, 2013.
- [5] S. Huang, L. Zheng, and H. Wu, "Development of a Smart Garden Management System Using IoT and GIS Technology," *IEEE Transactions on Sustainable Computing*, vol. 1, no. 2, pp. 89-96, 2016.
- [6] A. Kamilaris, A. Kartakoullis, and F. X. Prenafeta-Boldú, "A review on the practice of big data analysis in agriculture," *Computers and Electronics in Agriculture*, vol. 143, no. 1, pp. 23-37, Dec. 2017, doi: https://doi.org/10.1016/j.compag.2017.09.037.
- [7] B. Kumar, "An encyclopedic overview of 'big data' analytics," *International Journal of Applied Engineering Research*, vol. 10, no. 3, pp. 5681-5705, 2015.
- [8] L. Lidyawati, L. Kristiana, Arsyad Ramadhan Darlis, L. Jambola, and R. Susana, "Remotely garden irrigation for residential area based on Internet of Things (IoT)," *REKA ELKOMIKA*, vol. 1, no. 1, pp. 35-44, Jun. 2020, doi: https://doi.org/10.26760/rekaelkomika.v1i1.35-44.
- [9] J. Lee, S. Kim, S. Lee, H. Choi, and J. Jung, "A study on the necessity and construction plan of the internet of things platform for smart agriculture," *Journal of Korea Multimedia Society*, vol. 17, no. 11, pp. 1313-1324, Nov. 2014, doi: https://doi.org/10.9717/kmms.2014.17.11.1313.
- [10]W. Li, Y. Zhang, and X. Wang, "Smart Irrigation System for Gardens Using IoT and GIS," *Journal of Applied Horticulture*, vol. 19, no. 2, pp. 145-152, 2017.
- [11]M. I. Alipio, A. E. M. Dela Cruz, J. D. A. Doria, and R. M. S. Fruto, "On the design of Nutrient Film Technique hydroponics farm for smart agriculture," *Engineering in Agriculture, Environment and Food*, vol. 12, no. 3, pp. 315-324, Jul. 2019, doi: https://doi.org/10.1016/j.eaef.2019.02.008.
- [12]C. S. Nandyala and H. K. Kim, "Green IoT agriculture and healthcare application (GAHA)," *International Journal of Smart Home*, vol. 10, no. 4, pp. 289-300, 2016.
- [13]P. P. Ray, "Internet of things for smart agriculture: Technologies, practices and future direction," *Journal of Ambient Intelligence and Smart Environments*, vol. 9, no. 4, pp. 395-420, Jun. 2017, doi: https://doi.org/10.3233/ais-170440.
- [14]I. Protopop and A. Shanoyan, "Big data and smallholder farmers: Big data applications in the agri-food supply chain in developing countries," *International Food and Agribusiness Management Review*, vol. 19, pp. 173-190, 2016.
- [15]C. G. Rodriguez, A. B. Martinez, and E. F. Garcia, "Enhancing Green Space Management through IoT and GIS Integration: A Comparative Study," *Computers and Electronics in Agriculture*, vol. 150, pp. 256-267, 2018.
- [16]J. A. Smith, L. M. Johnson, and R. W. Brown, "Integrating IoT and GIS for Efficient Garden Management: A Case Study of Urban Green Spaces," *Journal of Smart Agriculture*, vol. 15, no. 3, pp. 123-140, 2020.
- [17]Z. F. Sun, K. M. Du, F. X. Zheng, and S. Y. Yin, "Perspectives of research and application of big data on smart agriculture," *China Agricultural Science and Technology Herald*, vol. 15, no. 6, pp. 63-71, 2013.
- [18]H. Tian, W. Zheng, and H. Li, "Application status and developing trend of open field water-saving internet of things technology," *Transactions of the Chinese Society of Agricultural Engineering*, vol. 32, no. 21, pp. 1-12, 2016.
- [19]S. Wolfert, L. Ge, C. Verdouw, and M. J. Bogaardt, "Big data in smart farming A review," Agricultural Systems, vol. 153, pp. 69-80, May. 2017, doi: https://doi.org/10.1016/j.agsy.2017.01.023.
- [20]H. Zhang, X. Wei, T. Zou, Z. Li, and G. Yang, "Agriculture big data: Research status, challenges and countermeasures," in *Computer and Computing Technologies in Agriculture VIII: 8th IFIP WG 5.14 International Conference*, 2015, pp. 137-143.
- [21]Jarudin, "IoT-Based Biometric Attendance System Using Arduino and ThingsBoard," *International Journal of Communication Networks and Information Security (IJCNIS)*, vol. 15, no. 4, pp. 103-117, Jan. 2024.